

what's inside


02	Who We Are	45	Others Summary
03	Social Responsibility	46-47	Body Bags
04	Infection Control	48-51	Shoe Covers
05	AAMI Levels	52-55	Surgical Caps
06	Material Descriptions	56-58	Hoods
07	Testing	59	Certificates
08	Our Products	60-61	Canada
09-20	Gowns		Headquarter Ekomed Global
21-24	Scrub Suits	62-65	Our Sterilization Facility
-1	Cordo Carto	66	9
25-27	Lab Coats and Jackets		Transportation Facilities
28-30	Protective Coveralls	67	EkoMed Global Inc.
31-44	Face Masks		Contact Information



who we are

EkoMed Global is a globally integrated manufacturer of disposable healthcare products and a service provider of medical technologies worldwide. At EkoMed Global, we focus on designing and manufacturing a wide range of disposable products that are utilized in hospitals and surgical procedures. At EkoMed Global, we are aware of the current need for new and innovative products, so we are always adding to our product portfolio. All the production processes are managed and monitored in accordance with ISO 9001, ISO 13795, ISO13485, CE standards.

Our primary goal is to provide reliable, qualitative, and continuous production within a overcapacity sterilized environment for the end-user. Our Headquarters is situated in Burlington, Canada . with the manufacturing plant and Sterilization Facility in Hangzhou, China. Within Canada and China, EkoMed has warehouses and operating offices. It is more than a slogan...





EkoMed Global always takes the ethical approach towards environmental events, human rights, and economical sensitivity. EkoMed is working to improve the quality and development of our community and the surrounding society we live in. We are educating ourselves to follow and exceed the standards of SA 8000:2014. As a company that serves the health sector, we support social responsibility, especially health-related projects.

Care that never quits... We care about your health!



infection control

We provide apparel solutions that meet or exceed industry safety standards, including:

- AAMI Level 1 isolation gowns
- AAMI Level 2 isolation gowns
- AAMI Level 3 isolation gowns
- AAMI Level 4 isolation & protective gowns

We're here to take care of you the way you take care of others. Keep your clinicians and patients safe every step of the way.

Per CDC Guidelines on Standard Precautions, the use of isolation gowns is indicated for some interactions between healthcare workers and patients. Transmission-Based Precautions (Contact, Droplet, and Airborne Precautions) are always used in addition to Standard Precautions. Isolation gowns are indicated for use whenever Contact Precautions are in effect and may be appropriate when Droplet and/or Airborne Precautions are in effect, depending on the nature of the interaction between the healthcare worker and patient as well as the extent of anticipated blood, body fluid, or pathogen exposure. For more information, visit cdc.gov.

Source: Siegel JD, Rhinehart E, Jackson M, Chiarello L, and the Healthcare Infection Control Practices Advisory Committee, 2007 Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings

aami levels

Defining the best level of protection for the standard ANSI/AAMI PB70:2012 involves an understanding of the critical zones of a gown and what each level of barrier performance entails so that the best gown is chosen for use by healthcare workers. The critical zones of gowns comprise the front of the gown and the sleeves, which are both primary areas with the greatest risk of exposure to fluids and blood-borne pathogens. As the level increases, so does the need for greater barrier protection for the entire critical zone.

- Level 1: Minimal level of fluid barrier protection.
- Level 2: Low level of fluid barrier protection.
- Level 3: Moderate level of fluid barrier protection.
- Level 4: The highest level of fluid and viral barrier protection.

Barrier Performance	Barrier Protection	Resistance Measures	Test	Test Criteria
Level 1	Minimal	Liquid Penetration	AATCC42	Water Impact ≤ 4,5 g
Level 2	Low	Liquid Penetration	AATCC42 AATCC127	Spray Impact ≤ 1,0 g Hydrostatic Pressure ≤ 20 cm
Level 3	Moderate	Liquid Penetration	AATCC42 AATCC127	Spray Impact ≤ 1,0 g Hydrostatic Pressure ≤ 50 cm
Level 4	High	Liquid and Viral Penetration	ASTM F1670 ASTMF1671	Pass

Association for the Advancement of Medical Instrumentation. Liquid Barrier Performance and Classification of Protective Apparel and Drapes Intended for use in Health Care Facilities. ANSI/AAMI PB70:2012. Arlington, VA: AAMI.



material descriptions

affordable cost.

Spunbond Spunbond Polypropylene Standard, cost-effective, and comfortable for basic infection control, this non-woven fabric bonds fibers together to form a single layer that is appropriate only for very minimal fluid exposure. Spunbond SMS Material Meltblown Strong and breathable, Spunbond/Meltblown/Spunbond (SMS) Spunbond is a multi-layer fabric composed of inner layers of melt-blown polypropylene between outer layers of spun-bond polypropylene that is ideal for extended wear. Light/medium weight SMS is appropriate for low amounts of fluid and heavyweight SMS may be appropriate for moderate contact with fluids. Spunbond Coated Polypropylene (Poly-coated) Polv Film Soft, spun-bond polypropylene is coated with a layer of polyethylene (plastic) film. Poly Film Polyethylene (Plastic) Film A single layer of polyethylene (plastic) film provides protection at an

testing

The Association for the Advancement of Medical Instrumentation (AAMI) standards is designed to help medical-device companies meet global standards for the safe use of medical devices. AAMI introduced the voluntary standard ANSI/AAMI PB70:2012, Liquid Barrier Performance and Classification of Protective Apparel and Drapes Intended for Use in Health Care Facilities. to determine key identification measures for the appropriate selection of protective apparel and drapes, such as medical gowns, for use in healthcare facilities (Pfiedler Enterprises, 2016). The AAMI gown classification stems from four levels of barrier performance, measured accordingly with the following standardized tests;

- AATCC 42-2017: Measures resistance of fabrics to the penetration of water by impact (AATCC, 2018)
- AATCC 127-2017: Measures resistance of fabric to the penetration of water under hydrostatic pressure (AATCC, 2017)
- ASTM F1670-17: Evaluate the resistance of materials used in protective clothing to penetration by synthetic blood under conditions of continuous liquid contact (ASTM, 2017)
- ASTM F1671-13: Measure penetration by blood-borne pathogens using a surrogate microbe under conditions of continuous liquid contact (ASTM, 2013)

ASTM F-1670 ASTM F-1671 ASTM F739-12

























AAMI Isolation Gowns Surgical Gowns Chemo Gowns Washable Gowns Halter Neck



scrub suits

V-Neck Scrubs Crew Neck Scrubs Scrubs Set

our products



lab coats lab jackets protective coveralls

Protective Coverall Type 3-4 Protective Coverall Type 5-6 Protective Coverall Type 6




face masks

Surgical Face Masks 3 Layer Face Masks FFP2 & FFP3



others

Body Bags Shoe Covers Bouffant and Surgical Caps Hoods



AAMI Isolation Gowns

Surgical Gowns

Chemo Gown

Washable Gowns

Halter Neck





Isolation Gown AAMI Level 1




Used for minimal risk situations. Provides a slight barrier to small amounts of fluid penetration.

- 100% SS/SMS/PP
- 30/40 GSM 0.88/1.18 OYS
- White or Blue
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available

DIMENSIONS IN (inch)

	S	М	L	XL	2XL
Α	57,1	59,1	61,0	63,0	63,0
В	39,4	41,3	43,3	45,3	47,2
С	7,5	7,9	8,3	8,7	9,3
D	21,7	22,0	22,4	22,8	23,2
Ε	10,6	10,6	11,0	11,0	11,8
F	6,3	6,3	6,7	6,7	7,5



DIMENSIONS IN (cm)

	s	М	L	XL	2XL
Α	145,0	150,0	155,0	160,0	163,0
В	100,0	105,0	110,0	115,0	120,0
С	19,0	20,0	21,0	22,0	23,5
D	55,0	56,0	57,0	58,0	59,0
Е	27,0	27,0	28,0	28,0	30,0
F	16,0	16,0	17,0	17,0	19,0



EKM-IG-L1001 (Non-sterile) EKM-IG-L1005 (Sterile)



















Isolation Gown AAMI Level 2


COLORS

Used in low-risk situations. Provides a barrier to larger amounts of fluid penetration through splatter and some fluid exposure through soaking.

- 100% SMS/PP/SMMS
- 30/40 GSM 0.88/1.18 OYS
- White or Blue
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available

DIMENSIONS IN (inch)

	S	М	L	XL	2XL
Α	57,1	59,1	61,0	63,0	63,0
В	39,4	41,3	43,3	45,3	47,2
С	7,5	7,9	8,3	8,7	9,3
D	21,7	22,0	22,4	22,8	23,2
E	10,6	10,6	11,0	11,0	11,8
F	6,3	6,3	6,7	6,7	7,5





	S	М	L	XL	2XL
Α	145,0	150,0	155,0	160,0	163,0
В	100,0	105,0	110,0	115,0	120,0
С	19,0	20,0	21,0	22,0	23,5
D	55,0	56,0	57,0	58,0	59,0
Ε	27,0	27,0	28,0	28,0	30,0
F	16,0	16,0	17,0	17,0	19,0



EKM-IG-L2001 (Non-sterile) EKM-IG-L2005 (Sterile)





















STERILE OR ***
STERILE OR NON-STERILE

Isolation Gown AAMI Level 3



EKM-IG-L3001 (Non-sterile) EKM-IG-L3005 (Sterile) Used in moderate-risk situations. Provides a barrier to larger amounts of fluid penetration through splatter and more fluid exposure through soaking than Level 2.

- 100% PP+PE/SMMS+PE/ SS/MMS+PE
- 40/65 GSM 1.18/1.92 OYS
- White or Blue


- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available

DIMENSIONS IN (inch)

	S	М	L	XL	2XL
Α	57,1	59,1	61,0	63,0	63,0
В	39,4	41,3	43,3	45,3	47,2
С	7,5	7,9	8,3	8,7	9,3
D	21,7	22,0	22,4	22,8	23,2
Е	10,6	10,6	11,0	11,0	11,8
F	6,3	6,3	6,7	6,7	7,5



	S	М	L	XL	2XL
Α	145,0	150,0	155,0	160,0	163,0
В	100,0	105,0	110,0	115,0	120,0
С	19,0	20,0	21,0	22,0	23,5
D	55,0	56,0	57,0	58,0	59,0
Ε	27,0	27,0	28,0	28,0	30,0
F	16,0	16,0	17,0	17,0	19,0







Isolation Gown AAMI Level 4



Used in high-risk situations. Prevents all fluid penetration for up to 1 hour. May prevent virus penetration for up to 1 hour.


- 100% PP+PE/SMMS+PE/ SS/MMS+PE
- 40/65 GSM 1.18/1.92 OYS
- White or Blue
- Ultrasonically stitched
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available
- Welded cuffs

DIMENSIONS IN (inch)

	s	М	L	XL	2XL
Α	57,1	59,1	61,0	63,0	63,0
В	39,4	41,3	43,3	45,3	47,2
С	7,5	7,9	8,3	8,7	9,3
D	21,7	22,0	22,4	22,8	23,2
Е	10,6	10,6	11,0	11,0	11,8
F	6,3	6,3	6,7	6,7	7,5



	S	М	<u>L</u>	XL	2XL
Α	145,0	150,0	155,0	160,0	163,0
В	100,0	105,0	110,0	115,0	120,0
С	19,0	20,0	21,0	22,0	23,5
D	55,0	56,0	57,0	58,0	59,0
Е	27,0	27,0	28,0	28,0	30,0
F	16,0	16,0	17,0	17,0	19,0











Surgical Gown Level 3



EKM-SG-L3005 (Sterile)

A surgical gown is a personal protective garment intended to be worn by health care personnel during surgical procedures to protect both the patient and health care personnel from the transfer of microorganisms, body fluids, and particulate matter.


- 100% SS/MMS+PE/ S+SS/MMS+PE/
- S+SMMS+PE/
- 50/60 GSM 1.47/1.77 OYS
- Ultrasonically stitched
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available

DIMENSIONS IN (inch)

	S	М	L	XL	2XL
A	57,1	59,1	61,0	63,0	63,0
В	39,4	41,3	43,3	45,3	47,2
С	7,5	7,9	8,3	8,7	9,3
D	21,7	22,0	22,4	22,8	23,2
Е	10,6	10,6	11,0	11,0	11,8
F	6,3	6,3	6,7	6,7	7,5



	S	М	L	XL	2XL
Α	145,0	150,0	155,0	160,0	163,0
В	100,0	105,0	110,0	115,0	120,0
С	19,0	20,0	21,0	22,0	23,5
D	55,0	56,0	57,0	58,0	59,0
Е	27,0	27,0	28,0	28,0	30,0
F	16,0	16,0	17,0	17,0	19,0







Surgical Gown Level 4



EKM-SG-L4001 (Non-sterile) EKM-SG-L4005 (Sterile) A surgical gown is a personal protective garment intended to be worn by health care personnel during surgical procedures to protect both the patient and health care personnel from the transfer of microorganisms, body fluids, and particulate matter.


- 100% SS/MMS+PE / S+SSMMS+PE / S+SMMS+PE /
- 50/60 GSM 1.47/1.77 OYS
- Ultrasonically stitched
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available
- Welded cuffs

DIMENSIONS IN (inch)

	S	М	L	XL	2XL
Α	57,1	59,1	61,0	63,0	63,0
В	39,4	41,3	43,3	45,3	47,2
С	7,5	7,9	8,3	8,7	9,3
D	21,7	22,0	22,4	22,8	23,2
Е	10,6	10,6	11,0	11,0	11,8
F	6,3	6,3	6,7	6,7	7,5

DIMENSIONS IN (cm)

	s	М	L	XL	2XL
Α	145,0	150,0	155,0	160,0	163,0
В	100,0	105,0	110,0	115,0	120,0
С	19,0	20,0	21,0	22,0	23,5
D	55,0 56,0	56,0	57,0	58,0	59,0
Е	27,0	27,0	28,0	28,0	30,0
F	16,0	16,0	17,0	17,0	19,0







Surgical Isolation Gown



EKM-SIG-L4001 (Non-sterile) EKM-SIG-L4005 (Sterile)

Surgical isolation gowns are used when there is a medium to high risk of contamination and a need for larger critical zones than traditional surgical gowns. All areas of the surgical isolation gown except bindings, cuffs, and hems are considered critical zones of protection and meets the highest liquid barrier protection level for which the gown is rated.


- 100% PP+PE/SMS/SMMS/ SSMMS+PE
- 40/65 GSM 1.18/1.92 OYS
- Ultrasonically stitched
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available

DIMENSIONS IN (inch)

	S M L		XL	2XL		
Α	57,1	59,1	61,0	63,0	63,0	
В	39,4	41,3	43,3	45,3	47,2	
С	7,5	7,9	8,3	8,7	9,3	
D	21,7	22,0	22,4	22,8	23,2	
Ε	10,6 10,6	10,6	11,0	11,0	11,8	
F	6,3	6,3	6,7	6,7	7,5	

DIMENSIONS IN (cm)

	·							
	S	М	L	XL	2XL			
Α	145,0	150,0	155,0	160,0	163,0			
В	100,0	105,0	110,0	115,0	120,0			
С	19,0	20,0	21,0	22,0	23,5			
D	55,0	56,0	57,0	58,0	59,0			
Ε	27,0	27,0	28,0	28,0	30,0			
F	16,0	16,0	17,0	17,0	19,0			





















Chemo Gown




EKM-CHG-L4001 (Non-sterile) EKM-CHG-L4005 (Sterile)

Chemo gowns tested 480 minutes against following chemotherapy drugs and no breakouts observed as meeting standarts of ASTM F739-12:

- 1. Carmustine
- 2. Cisplatin
- 3. Cyclophosphamide
- 4. Cytarabine Hydrocloride
- 5. Dacarbazine
- 6. Daunorubicine Hydracloride
- 7. Doxorubicin Hydrochloride
- 8. Etoposide

- 9. Fluorouracil
- 10. Ifosfamid
- 11. Methotrexat
- 12. Mitomycin C
- 13. Mitoxantrone
- 14. Paclitaxel
- 15. Thiotepa
- 16. Vincristine Sulfate
- 100% Poly-Coated PP/ SMS+PE SSMMS/SMMS Non-Woven+PE
- 40/60 GSM 1.18/1.77 OYS
- White or Blue
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available



DIMENSIONS IN (inch)

	s	М	L	XL	2XL
Α	57,1	59,0	61,0	63,0	64,2
В	39,4	41,3	43,3	45,3	47,2
С	7,5	7,9	8,3	8,7	9,3
D	21,7	22,0	22,4	22,8	23,2
Е	10,6	10,6	11,0 11,0	11,8	
F	6,3	6,3	6,7	6,7	7,5
G	1,8	1,8	1,8	1,8	1,8
Н	6,9	7,3	7,7	8,1	8,5

DIMENSIONS IN (cm)

	S	М	L	XL	2XL
Α	145,0	150,0	155,0	160,0	163,0
В	100,0	105,0	110,0	115,0	120,0
С	19,0	20,0	21,0	22,0	23,5
D	55,0	56,0	57,0	58,0	59,0
Е	27,0	27,0	28,0	28,0	30,0
F	16,0	16,0	17,0	17,0	19,0
G	4,5	4,5	4,5	4,5	4,5
Н	17,5	18,5	19,5	20,5	21,5

ASTM F-1670 ASTM F-1671 **ASTM F739-12**

















13485:2016

9001:2015

14001:2015



COLORS

Washable Gowns




- Reusable gowns are manufactured with fabrics made from polyester, carbon (polycarbonate) and pre coating material.
- 180 GSM 5.31 OYS
- Laboratory Tested
- All Sizes Available

DIMENSIONS IN (inch)

	S M		L	XL	2XL	
Α	57,1	59,1	61,0	63,0	63,0	
В	39,4	41,3	43,3	45,3	47,2	
С	7,5	7,9	8,3	8,7	9,3	
D	21,7	22,0	22,4	22,8	23,2	
Е	10,6	10,6	11,0	11,0	11,8	
F	6,3	6,3	6,7	6,7	7,5	



	S M		L	XL	2XL
Α	145,0	150,0	155,0	160,0	163,0
В	100,0	105,0	110,0	115,0	120,0
С	19,0	20,0	21,0	22,0	23,5
D	55,0 56,0	56,0	57,0	58,0 28,0	59,0 30,0
Е	27,0	27,0	28,0		
F	16,0	16,0	17,0	17,0	19,0















EKM-WG-001

Disposable Halter Neck (PE)



- Polyethylene Film (PE)
- No Stitches
- 25/50 GSM 0.74/1.47 OYS
- White or Blue


- Liquid Proof
- High Strength
- All Sizes Available

DIMENSIONS IN (inch)

	S	М	L	XL	2XL
Α	57.1	59,1	61,0	63,0	64,2
В	39,4	41,3	43,3	45,3	47,2
C	8,1	8,3	8,5	8,7	8,9

DIMENSIONS IN (cm)

	S	M	L	XL	2XL
Α	145	150	155	160	163
В	100	105	110	115	120
C	20,5	21	21,5	22	22,5



EKM-HN-001 (50 GSM-1.47 OYS) EKM-HN-008 (25 GSM-0.74 OYS)



















scrub suits

COLORS STERILE OR ***

• EKM-VSS-001 (Non-sterile) • EKM-VSS-005 (Sterile) • EKM-VST-001 (Nonsterile Scrubs Top Only) • EKM-VST-005 (Sterile Scrubs Top Only) • EKM-SCP-001 (Non-sterile Scrubs Pants Only) • EKM-SCP-005 (Sterile Scrubs Pants Only)

Scrubs V-neck

Our unisex scrub suits are made of a high-quality SS/SMS fabric that combines strength, softness and comfort. Shortsleeve tops feature an easy-to-don v-neck and two large front pockets. Pants are constructed with an elastic waist.

• 100% SMS/SS Non-Woven

DIMENSIONS IN (inch)

- Laboratory Tested
- 30/40 GSM 0.88/1.18 OVS
- All Sizes Available

30/40	GOIVI	- 0.00/	1.10	013	•


DIME	NSION	S IN (c	GOI	MMAGE	
S M L				XL	2XL
Α	71,0	73,0	75,0	77,0	79,0
A1	62,0	64,0	66,0	68,0	70,0
0	53,0	55,0	57,0	59,0	61,0
С	22,0	23,0	24,0	25,0	26,0
D	24,5	25.5	26.5	27.5	28.5

23,0 23,5 24,0 24,5 25,0

		-		_	^_	ZAL
A	١	27,95	28,74	29,53	30,31	31,10
Α	1	24,41	25,20	25,98	26,77	27,56
C)	20,87	21,65	22,44	23,23	24,02
(:	8,66	9,06	9,45	9,84	10,24
C)	9,65	10,04	10,43	10,83	11,22
E		9,06	9,25	9,45	9,65	9,84
F		8,17	8,27	8,37	8,46	8,56
						PANTS
		_			VI	271

					PANTS
	s	М	L	XL	2XL
K	13,39	14,17	14,96	15,75	16,54
L	12,20	12,60	12,99	13,39	13,78
М	15,75	16,14	16,54	16,93	17,32
Ν	20,87	21,65	22,44	23,23	24,02
Ρ	12,99	13,39	13,78	14,17	14,57
R	7,87	8,07	8,27	8,46	8,66
S	28,74	29,13	29,53	29,92	30,31

				PANT	ALONS
	s	М	L	XL	2XL
K	34,0	36,0	38,0	40,0	42,0
L	31,0	32,0	33,0	34,0	35,0
М	40,0	41,0	42,0	43,0	44,0
N	53,0	55,0	57,0	59,0	61,0
Р	33,0	34,0	35,0	36,0	37,0
R	20,0	20,5	21,0	21,5	22,0
S	73,0	74,0	75,0	76,0	77,0













13485:2016

9001:2015

14001:2015

scrub suits

Scrubs Crew Neck



Our unisex scrub suits are made of a high-quality SS/SMS fabric that combines strength, softness and comfort. Short sleeve tops feature an easy-to-don Crew-neck and two large front pockets. Pants are constructed with an elastic waist.


- 100% SMS/SS Non-Woven
- Laboratory Tested
- 30/40 GSM 0.88/1.18 OYS All Sizes Available


DIMENSIONS IN (inch) TO					TOP	DIME	NSIONS	S IN (cn	۱)	
		S	М	L	XL	2XL		S	М	
	Α	27,95	28,74	29,53	30,31	31,10	Α	71,0	73,0	7
	A1	24,41	25,20	25,98	26,77	27,56	A1	62,0	64,0	6
	0	20,87	21,65	22,44	23,23	24,02	0	53,0	55,0	5
	С	8,66	9,06	9,45	9,84	10,24	С	22,0	23,0	2
	D	9,65	10,04	10,43	10,83	11,22	D	24,5	25,5	2
	Ε	9,06	9,25	9,45	9,65	9,84	Ε	23,0	23,5	2
	PANTS									


	S	М	L	XL	2XL
Α	71,0	73,0	75,0	77,0	79,0
A1	62,0	64,0	66,0	68,0	70,0
0	53,0	55,0	57,0	59,0	61,0
С	22,0	23,0	24,0	25,0	26,0
D	24,5	25,5	26,5	27,5	28,5
Ε	23,0	23,5	24,0	24,5	25,0

					PANTS
	s	М	L	XL	2XL
K	13,39	14,17	14,96	15,75	16,54
L	12,20	12,60	12,99	13,39	13,78
М	15,75	16,14	16,54	16,93	17,32
N	20,87	21,65	22,44	23,23	24,02
Р	12,99	13,39	13,78	14,17	14,57
R	7,87	8,07	8,27	8,46	8,66
S	28,74	29,13	29,53	29,92	30,31

				PANT	TALONS
	S	М	L	XL	2XL
К	34,0	36,0	38,0	40,0	42,0
L	31,0	32,0	33,0	34,0	35,0
М	40,0	41,0	42,0	43,0	44,0
N	53,0	55,0	57,0	59,0	61,0
Р	33,0	34,0	35,0	36,0	37,0
R	20,0	20,5	21,0	21,5	22,0
S	73,0	74,0	75,0	76,0	77,0







GOMMAGE











- EKM-CST-001 (Non-steri le Scrubs Top Only)
- EKM-CST-005 (Sterile Scrubs Top Only)



scrub suits

Crew-Neck Scrubs Top & Pants Pocket Trousers



EKM-CSS-003 (Non-sterile) EKM-SCP-002 (Non-sterile Scrubs Pants Only) Our unisex scrub suits are made of a high-quality SS/SMS fabric that combines strength with softness and comfort. The short sleeve top feature an easy-to-don Crew-neck and two large front pockets. The pants are constructed with an elasticated and lace-up waist.

- 100% SMS/SS Non-Woven Laboratory Tested
- 30/40 GSM 0.88/1.18 OYS All Sizes Available

DIMENSIONS IN (inch)


DINE	1310113		101		
	s	М	L	XL	2XL
Α	27,95	28,74	29,53	30,31	31,10
A1	24,41	25,20	25,98	26,77	27,56
0	20,87	21,65	22,44	23,23	24,02
С	8,66	9,06	9,45	9,84	10,24
D	9,65	10,04	10,43	10,83	11,22
Е	9,06	9,25	9,45	9,65	9,84

	S	М	L	XL	2XL
Α	71,0	73,0	75,0	77,0	79,0
A1	62,0	64,0	66,0	68,0	70,0
0	53,0	55,0	57,0	59,0	61,0
С	22,0	23,0	24,0	25,0	26,0
D	24,5	25,5	26,5	27,5	28,5
Ε	23,0	23,5	24,0	24,5	25,0
				PAN	TALONS

DIMENSIONS IN (cm) GOMMAGE

					PANTS
	s	М	L	XL	2XL
K	13,39	14,17	14,96	15,75	16,54
L	12,20	12,60	12,99	13,39	13,78
М	15,75	16,14	16,54	16,93	17,32
N	20,87	21,65	22,44	23,23	24,02
P	12,99	13,39	13,78	14,17	14,57
R	7,87	8,07	8,27	8,46	8,66
S	28,74	29,13	29,53	29,92	30,31

	s	М	L	XL	2XL
K	34,0	36,0	38,0	40,0	42,0
L	31,0	32,0	33,0	34,0	35,0
М	40,0	41,0	42,0	43,0	44,0
N	53,0	55,0	57,0	59,0	61,0
Р	33,0	34,0	35,0	36,0	37,0
R	20,0	20,5	21,0	21,5	22,0
S	73,0	74,0	75,0	76,0	77,0



















lab coats and jackets protective coveralls

Protective Coverall Type 3-4 Protective Coverall Type 5-6







lab coats and jackets protective coveralls

COLORS STERILE OR NON-STERIL

Lab Coats

Our unisex lab coat is made of a high-quality SS/SMS fabric that combines strength with softness and comfort.


- 100% SMS/SS Non-Woven High Strength
- 30/40 GSM 0.88/1.18 OYS All Sizes Available
- Laboratory Tested

DIMENSIONS IN (inch)

	S	М	L	XL	2XL
Α	41,7	42,5	43,3	44,1	44,9
A1	24,6	25,6	26,6	27,6	28,5
0	24,6	25,6	26,6	27,6	28,5
С	10,6	10,6	11,0	11,0	11,8
D	21,7	22,0	22,4	22,8	23,6
Ε	6,3	6,3	6,7	6,7	7,5



	S	M	L	XL	2XL
Α	106,0	108,0	110,0	112,0	114,0
A1	62,5	65,0	67,5	70,0	72,5
0	62,5	65,0	67,5	70,0	72,5
C	27,0	27,0	28,0	28,0	30,0
D	55,0	56,0	57,0	58,0	60,0
E	16,0	16,0	17,0	17,0	19,0













EKM-LBC-001 (Non-sterile) EKM-LBC-005 (Sterile)

Lab Jackets

COLORS

Eko/M


lab coats and jackets protective coveralls

Our unisex lab jacket is made of a high-quality SS/SMS fabric that combines strength with softness and comfort.

- 100% SMS/SS Non-Woven
- High Strength
- 30/40 GSM 0.88/1.18 OYS All Sizes Available
- Laboratory Tested

DIMENSIONS IN (inch)


	S	М	L	XL	2XL
Α	28,0	28,7	29,5	30,3	31,1
A1	25,0	25,8	26,6	27,4	28,5
0	25,0	25,8	26,6	27,4	28,5
С	9,4	9,8	10,2	10,6	11,0
D	21,7	22,0	22,4	22,8	23,6
Ε	6,1	6,3	6,5	6,7	6,9





	S	М	L	XL	2XL
Α	71,0	73,0	75,0	77,0	79,0
A1	63,5	65,5	67,5	69,5	72,5
0	63,5	65,5	67,5	69,5	72,5
С	24,0	25,0	26,0	27,0	28,0
D	55,0	56,0	57,0	58,0	60,0
Ε	15,5	16,0	16,5	17,0	17,5















9001:2015

14001:2015



STERILE OR ***

lab coats and jackets protective coveralls

EKM-OVA-L4001

COLORS

Protective Coverall, Disposable, Type 3-4

EkoMed's Disposable Protective Coverall has good antifiltration performance, high filtering efficiency, surface moisture resistance, strength, and air permeability, which allows it to effectively prevent dust, water, bacteria, and viruses.

- SMS (Laminated) / PP+PE
- 50/60 GSM 1.47/1.77 OYS
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available


DIMENSIONS IN (inch)

(inch)	S	М	L	XL	2XL
Round	33,07-36,22	36,22-39,4	39,4-42,52	42,52-45,67	45,67-48,82
Height	63,80-66,94	66,15-69,30	68,51-71,66	70,87-74,02	73,23-76,38

DIMENSIONS IN (cm)

(cm)	s	М	L	XL	2XL
Round	84-92	92-100	100-108	108-116	116-124
Height	162-170	168-176	174-182	180-188	186-194





lab coats and jackets protective coveralls

Protective Coverall, Disposable, Type 5-6



EkoMed's Disposable Protective Coverall has good antifiltration performance, high filtering efficiency, surface moisture resistance, strength, and air permeability, which allows it to effectively prevent dust, water, bacteria, and viruses.

- SMS (Laminated) / PP+PE
- 50/60 GSM 1.47/1.77 OYS
- High-Pressure Liquid Proof
- Laboratory Tested
- High Strength
- All Sizes Available


DIMENSIONS IN (inch)

(inch)	S	М	L	XL	2XL
Round	33,07-36,22	36,22-39,4	39,4-42,52	42,52-45,67	45,67-48,82
Height	63,80-66,94	66,15-69,30	68,51-71,66	70,87-74,02	73,23-76,38

DIMENSIONS IN (cm)

(cm)	s	М	L	XL	2XL
Round	84-92	92-100	100-108	108-116	116-124
Height	162-170	168-176	174-182	180-188	186-194







Disposable Coverall, Type 6



EkoMed's Disposable Protective Coverall has good anti-filtration performance, high filtering efficiency, surface moisture resistance, strength, and air permeability.

- SMS / SS
- 40 GSM 1.18 OYS
- Laboratory Tested
- Strength
- All Sizes Available

DIMENSIONS IN (inch)

(inch)	S	М	L	XL	2XL
Round	33,07-36,22	36,22-39,4	39,4-42,52	42,52-45,67	45,67-48,82
Height	63,80-66,94	66,15-69,30	68,51-71,66	70,87-74,02	73,23-76,38

DIMENSIONS IN (cm)

(cm)	S	М	L	XL	2XL
Round	84-92	92-100	100-108	108-116	116-124
Height	162-170	168-176	174-182	180-188	186-194









 ϵ

EKM-OVA-L6001





face mask

Surgical Face Mask EU Type 1 - ASTM LVL 1

COLORS



EKM-3LSM-101 (NEW GENERATION)

- 3 layer hypoallergenic non-woven material (Spunbon+Meltblown +Spunbon)
- Polypropylene (PP) covered soft & adjustable nose wire
- Ultrasonic seam
- Single-use
- High Filtration Efficiency, BFE > 95%

- Comfortable inhalation and exhalation
- 2 alternative for ear loops
 - Soft elastic ear loops
 - Ultra soft elastic ear loops (New generation)
- · Light, soft and skin-friendly



EKM-3LSM-001















9001:2015

14001:2015

Surgical Face Mask EU Type II - ASTM LVL 2

face mask

- COLORS



EKM-3LSM-102 (NEW GENERATION)

- 3 layer hypoallergenic non-woven material (Spunbon+Meltblown +Spunbon)
- Polypropylene (PP) covered soft & adjustable Nose wire
- Ultrasonic seam
- Single-use
- High Filtration Efficiency, BFE > 98%

- Comfortable inhalation and Exhalation
- 2 alternative for ear loops
- Soft elastic aer loops
- Ultra soft elastic ear loops (New generation)
- Light, soft and skin-friendly



EKM-3LSM-002


















face mask

Surgical Face Mask EU Type IIR - ASTM LVL 3











EKM-3LSM-103 (NEW GENERATION)

- 3 Layer hypoallergenic non-woven material (Spunbon +Meltblown+Spunbon)
- Polypropylene (PP) covered soft & adjustable nose wire
- Provides protection against infections. including COVID-19 viruses
- Complies with EN 14683:2019 standard
- Effective protection from an array of pathogens and airborne particles

- Biologically protective with 98% BFE (bacterial filtration efficiency)
- 2 alternative for ear loops
 - Soft elastic aer loops
- Ultra soft elastic ear loops (New generation)
- Non-sterile face mask. secure and comfortable fit
- · Light, soft, and skin-friendly single-use mask
- Does not obstruct breathing



EKM-3LSM-003

















Face Mask with Tie-Back

face mask



- 3 Layer hypoallergenic non-woven material (Spunbon+Meltblown +Spunbon)
- Particle filtration efficiency of 98% (PFE 0.1 micron)
- High bacterial filter performance (BFE)
- Secure and comfortable fit
- No skin irritation
- · Comfortable inhalation and exhalation

- Integrated adjustable nose bridge strip clip for the best fit
- Elasticated soft ear loops, splash resistant
- Non-sterile face mask, secure and comfortable fit
- Light, soft and skin-friendly single-use mask
- Does not obstruct breathing

























Face Masks for Child

COLORS













- 3 Layer hypoallergenic non-woven material (Spunbon+Meltblown +Spunbon)
- Particle filtration efficiency of 98% (PFE 0.1 micron)
- High bacterial filter performance (BFE)
- Secure and comfortable fit
- No skin irritation
- Comfortable inhalation and exhalation
- Produced in various colors and patterns

- Integrated adjustable nose bridge strip clip for the best fit
- Elasticated soft ear loops, splash resistant
- Non-sterile face mask, secure and comfortable fit
- Light, soft, and skin-friendly single-use mask
- Does not obstruct breathing

EKM-3LFM-004













Foldable Protective Face Mask - FFP2

face mask

COLORS

FFP2 protects against solid and liquid particles, excluding carcinogenic and radioactive substances, airborne biological substances from risk groups 2 and 3 and enzymes.

- Product Type: Foldable Protective Mask
- Hazard Type: General respiratory protective eauipment
- Closure Type: Flexible holder
- Material: 5 lavers of fabric (3 Layer spunbond and 2 Laver meltblown)
- Filtration Efficiency: 95%≥
- Masks are designed to protect against harmful substances, contamination. bacteria and viruses. It is the user's responsibility to determine the suitability of the masks and use them in accordance with the instructions.
- Comfort Features: Friendly material, elastic holders for a perfect fit, it easily covers the mouth and nose area.



EKM-FFP2-004





45001:2018



13485:2016



9001:2015



CE



FFP2 Face Mask



- A face mask with code FFP2 protects against very fine particles such as asbestos and ceramic
- Offers the highest protection from hazardous substances.
- Ultrasonic welding
- Use in a dusty environment
- Prevent risky infectious diseases. (According to national recommendations in force)
- Non-woven, and elastic ear loops

- Cup-shaped, Micro Filter Layer and Non-Allergic
- Activated Carbon Filter
- Provide good two-way protection, by filtering both inflow and outflow of air
- Aerosol Filtration percentage: 95% minimum
- With metal or plastic wire option



EKM-FFP2-006 (Without Vent)











 ϵ

3 13485:2016 9001:2015

FFP2 Face Mask (with vent)

COLORS



- A face mask with code FFP2 protects against very fine particles such as asbestos and ceramic
- Offers the highest protection from hazardous substances.
- Ultrasonic welding
- Use in a dusty environment
- Prevent risky infectious diseases. (According to national recommendations in force)
- Non-woven, and elastic ear loops

- Cup-shaped, Micro Filter Layer and Non-Allergic
- Activated Carbon Filter
- Provides good two-way protection, by filtering both inflow and outflow of air
- Aerosol Filtration percentage: 95% minimum
- It protects against very fine particles such as asbestos and ceramic
- With metal or plastic wire



EKM-FFP2-001 (With Antifogging Vent)











14001:2015

 ϵ





Foldable Protective Face Mask - FFP3

FFP3 protects against solid and liquid particles, excluding carcinogenic and radioactive substances, airborne biological substances from risk groups 2 and 3 and enzymes.

- Product Type: Foldable Protective Mask
- Hazard Type: General respiratory protective equipment
- Closure Type: Flexible holder
- Material: 5 lavers of fabric (3 Layer Spunbond and 2 Laver meltblown)
- Filtration Efficiency: ≥ 99%
- Masks are designed to protect against harmful substances, contamination, bacteria and viruses. It is the user's responsibility to determine the suitability of the masks and use them in accordance with the instructions.
- Comfort Features: Friendly material, elastic holders for a perfect fit, it easily covers the mouth and nose area.



EKM-FFP3-004













FFP3 Face Mask (with vent)

COLORS



- A face mask with code FFP3 protects against very fine particles
 - such as asbestos and ceramic
- Offers the highest protection from hazardous substances.
- Ultrasonic welding
- Use in a dusty environment
- Prevent risky infectious diseases. (According to national recommendations in force)
- Non-woven, and Elastic ear loops

- Cup-shaped, Micro Filter Laver and Non-Allergic
- Activated Carbon Filter
- Provides two-way protection, by filtering both inflow and outflow of air
- Aerosol Filtration percentage: 99% minimum
- With metal or plastic wire option



EKM-FFP3-001 (With Antifogging Vent)



















COLORS EkoMed

EKM-FFP3-006 (Without Vent)

FFP3 Face Mask


- A face mask with code FFP3 protects against very fine particles such as asbestos and ceramic
- Offers the highest protection from hazardous substances.
- Ultrasonic welding
- Use in a dusty environment
- Prevent risky infectious diseases. (According to national recommendations in force)
- Non-woven, and elastic ear loops

- Cup-shaped, Micro Filter Laver and Non-Allergic
- Activated Carbon Filter
- Provides two-way protection, by filtering both inflow and outflow of air
- Aerosol Filtration percentage: 99% minimum
- With metal or plastic wire















9001:2015

14001:2015


Respirator Comparison




Reference standard: EN 149:2001+A1:2009 Regulation (EU) 2016/425 of the European Parliament and of the Council (09/03/2016)

The notified body involved in the conformity assessment: MNA LABORATORIES SAN ve TIC LTD STI - Küçükbakkalköy Mahallesi Yenidoğan Cad. No:21 Ataşehir / Istanbul (NB 2841)

Class	Filter penetration limit (at 95 L/min air flow)	Inward leakage	Typical Elastic Band	Vent
FFP1	Fiters at least 80% of airborne particles	> 22%	Green, blue, red, orange, white	Custom color option
FFP2	Fiters at least 94% of airborne particles	> 8%	Green, blue, red, orange, white	Custom color option
FFP3	Fiters at least 99% of airborne particles	> 2%	Green, blue, red, orange, white	Custom color option














Body Bags

Shoe Covers

Bouffant and Surgical Caps

Hoods






Body bag with Straight Zipper



Body Bag U-Shaped Zipper






Anti-Skid Shoe Cover

COLORS

EkoMed's shoe covers are constructed from high-quality, 3 layer SMS fabric to provide complete coverage of the shoe and lower leg. The top of the shoe covers are elasticated, which helps to keep the shoe cover in place. EkoMed's shoe covers feature adhesive strips on the bottom to minimize the risk of slips and falls. A fluid-resistant coating on the shoe area provides moderate protection from fluid contact.

- 3 Layer SMS Fabric
- 40 GSM 1.18 OYS
- Laboratory Tested
- Non-Slip Sole

- Fluid Resistant
- High Strength













EKM-ASSC-001

13485:2016

9001:2015

14001:2015

Anti-Skid Shoe Cover with Stripe



Anti-Skid Shoe Cover (50 GSM)



Anti-Skid Shoe Cover


other

COLORS This cover is comfortable when worn over the shoes. Operation, theater, research centers, server rooms are places where this cover is worn over the shoe to stop dust and unhygienic particles from entering the room. The quality monofilament and the strong stitching make this cover highly durable and attractive. • Polyethylene (PE) Water-Resistant • 20/50 GSM - 0.59/1.47 OYS • High resilience • Laboratory Tested 10cm - 3.94 inch 38 cm 14.96 inch EKM-ASSC-008 14001:2015 13485:2016



Bouffant Caps

- Spunbond Non-Woven
- 30 GSM 0.88 OYS
- Sewn-in Elastic Band
- Comfortable and Breathable
- High quality
- Various colors available

















Washable Surgical Cap


other

Elastic



- 100% Cotton
 - Comfortable
- 100/200 GSM 2.95/5.90 OYS Washable

Reusable





EKM-SC-001














Washable Surgical Cap with Tie



• 100% Cotton

- Comfortable
- 100/200 GSM 2.95/5.90 OYS Washable

• Reusable
















EKM-SC-003

Surgical Cap Disposable



- 100% SS/SMS
- 30/40 GSM 0.88/1.18 OYS
- Disposable
- Comfortable















EKM-SC-004










Surgical Pullover Hood



This surgical hood provides complete head coverage. The blue hood has a gentle elastic at the neck for a comfortable fit.

- 100% SS/SMS Non-Woven
- Disposable
- 40 GSM 1.18 OYS
- Comfortable



EKM-PH-001














Comfort Hood



Our cool and comfortable hood conforms to the head and neck, providing maximum coverage. Adjustable ties at the neck offer a secure and a comfortable fit.

- 100% SS/SMS Non-Woven
- 40 GSM 1.18 OYS
- Disposable
- Comfortable




















Surgical Hood with Ties



Lightweight and comfortable, our hood provides complete head, neck and shoulder coverage. Adjustable back ties allow for a personalized fit.

- 100% SS/SMS Non-Woven
- 40 GSM 1.18 OYS
- Disposable
- Comfortable















EKM-SH-001

certificates













































Canada Headquarter Ekomed Global





EkoMed Global, Canada offers its customers many conveniences from storage, sales, finance to door-to-door shipping. EkoMed Canada Team has more than 20 years of industry experience. They provide "Health Canada" approved products to their Canadian customers.







Canada Headquarters

3-5510 Mainway Burlington, ON L7L6C4 +16473306496 sales@ekomedglobal.com





Our Sterilization Facility



In a sterilization facility established on a total area of 2000 square meters in Hangzhou, China, in compliance with advanced technology standards, European Medical Device Directive (MDD) 93/42/ECC certified, in accordance with EO sterilization and ISO Class 7-8 clean room standards, sterilization and production of all kinds of medical equipment and medical textile products are carried out at high capacity and speed.





Sterilization comes from the word sterile which is a situation where the biological being loses the capacity to breed or reproduce. Sterilization in its origin is not only limiting the microorganisms but it is also limiting the reproductive capacity of the pathogenic agents which cause infections in the human body.

Any kind of sterilization is in essence realized for not only a point in time but a period of time in our case until the sterilization pouch made up of polyolefin in some form is a material registered under the trademark of Dupont® as TyvekTM which has become a generic brand for those medical devices.

The content as a medical device is packaged in the sterilization pouches in controlled clean room environments and they are presented for sterilization in various sterilization devices.

There are various types of sterilization listed are below:

- A. Steam Sterilization (H₂O₂ / steam sterilization)
- Saturated Pure Steam (autoclave)
- Vapor-Phase Hydrogen Peroxide (isolator, clean room)
- B. Dry-Heat Sterilization
- Sterilization / Depyrogenization Tunnel
- Sterilization / Depyrogenization Oven
- E. Filtration
- Sterilization Grade Filter (0.2 um filter- liquid, gas / air)

C. Gas Sterilization

- Ethylene Oxide (autoclave) (flexible chamber gas diffusion ethylene oxide sterilization)
- Formaldehyde (autoclave)
- Gas-Phase Hydrogen Peroxide (isolator)
- D. Ionizing Radiation
- GAMA (Cobalt 60, radio isotope decay)
- X-ray Radiation
- Electron beam radiation

Our type of ethylene oxide sterilization has been evaluated as a new generation of sterilizers known as Flexible Chamber Ethylene Oxide Gas Diffusion System Sterilizers and is a high-tech sterilizer that completes the sterilization process by using low temperature and low dose of Ethylene Oxide gas. The technology has eliminated the infrastructure requirements such as compressed air, water, vacuum lines and drainage channels required by conventional gas sterilizers. Cartridges/ampoules containing Ethylene Oxide gas are used for sterilization.





Our type of ethylene oxide sterilization has been evaluated as a new generation of sterilizers known as Flexible Chamber Ethylene Oxide Gas Diffusion System Sterilizers and is a high-tech sterilizer that completes the sterilization process by using low temperature and low dose of Ethylene Oxide gas. The technology has eliminated the infrastructure requirements such as compressed air, water, vacuum lines and drainage channels required by conventional gas sterilizers. Cartridges/ampoules containing Ethylene Oxide gas are used for sterilization.

The sterilizers we use consume one tenth of Ethylene oxide gas compared to equivalent systems. Environmental impact and pollution are minimized with low gas consumption. Ventilation after sterilization is done in the same cabin. The removal of ethylene oxide residues is made to be 100% safe with the vacuum pump system.

Within the vacuum processes used for ethylene oxide, the vacuum and the fan motor are designed to reduce the pressure in question to half an atmospheric pressure in the inner chamber used for sterilization.

In order for sterilization to be successful it is recommended to use three indicator types to monitor the process:

- Biological indicator
- Dosimeter
- Temperature sensitive chemical strip indicator

Within this process the use of biological indicators is a realistic indicator for products that are sterilized in bags, which are flexible cells.

Dosimeters only provide information about exposure to Ethylene oxide gas at sufficient concentration. They are not an indication that products are sterilized during the process.

Temperature-sensitive chemical strip indicators are indicators that the temperature has reached a level that allows Ethylene oxide sterilization within the liner bags, which are flexible cells.

For this reason, all three indicator types are advised to be used.

With the use of these indicators, you can detect if sterilization has failed.

If one of the indicators fails, sterilization has failed. A doubt means failure when using medical devices under proper conditions.

Failed Ethylene oxide sterilization should not be repeated. There could be a small amount of Ethylene oxide residue left on the products when Ethylene oxide sterilization fails. This is not a risk that should be ignored.

It is recommended that the products that have failed be destroyed to avoid being used in the future.











China Sterilisation & Factory

No.71 Tuowu Road. Fenshui Town .tonglu, Hangzhou No:zhejiang province .China





Logistic and Transportation Facilities



Quality control and loading details of all products are inspected by artificial intelligence in the storage and management facility of EkoMed Global, located on a total area of 5,000 square meters, with the RFID coding system, all processes from production to shipment are made ready for shipment at the end-to-end control point, they deliver customers and EkoMed's distribution or storage points all over the world. The facility is located in a central area with easy access and close to sea and air cargo ports.

Within the facility, 3 separate inspection rooms have been specially designed for independent inspection companies and their employees.





EkoMed Global Inc.

contact Information

Canada Headquarter

3-5510 mainway Burlington, ON. L7L 6C4 Canada (Tel) +647 330 6496 sales@ekomedglobal.com

Europe

(Tel) +45 426 40 799 zavana@ekomedglobal.com

Middle East & Africa

(Tel) +90 534 4598 27 nasser@ekomedglobal.com

China Manufacturing & **Sterilization**

NO.71 Zhe Wu Road, Fenshui Town Tonglu, Hangzhou, Zhejiang Province, China (Tel) +86 1506748 3435

Canada

(Tel) +647 330 6496 sales@ekomedglobal.com

Turkey Manufacturing

cooper@ekomedglobal.com

Istanbul, Turkey

USA

(Tel) +1 917 553 3114 wendy@ekomedglobal.com











www.ekomedglobal.com





